

09/863.419

|   | Type | L # | Hits  | Search Text   | DBs  | Time Stamp          |
|---|------|-----|-------|---|--|---------------------|
| 1 | BRS  | L1  | 22342 | 705/.ccls.  | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2003/09/04<br>10:56 |
| 2 | BRS  | L2  | 39    | 1 and (staging\$1 with (ship\$4<br>or deliver\$3))                        | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2003/09/04<br>11:13 |
| 3 | BRS  | L3  | 15    | 2 and (online or on-line)   | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2003/09/04<br>10:58 |
| 4 | BRS  | L4  | 0     | 1 and (staging\$1 with (ship\$4<br>or deliver\$3) with<br>subscrib\$4)    | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2003/09/04<br>11:00 |
| 5 | BRS  | L5  | 1     | 1 and (staging\$1 with (ship\$4<br>or deliver\$3) with<br>application\$1) | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2003/09/04<br>11:01 |
| 6 | BRS  | L6  | 8     | 1 and (staging\$1 same (ship\$4<br>or deliver\$3) same<br>application\$1) | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2003/09/04<br>11:02 |
| 7 | BRS  | L7  | 741   | lewin.in.   | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2003/09/04<br>11:02 |
| 8 | BRS  | L8  | 2     | 7 and (staging\$1 with (ship\$4<br>or deliver\$3))                        | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2003/09/04<br>11:02 |
| 9 | BRS  | L10 | 9     | 9 and (staging same<br>(subscri\$4 or application\$1))                    | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2003/09/04<br>11:07 |

|    | Type | L # | Hits | Search Text  | DBs  | Time Stamp          |
|----|------|-----|------|--|--|---------------------|
| 10 | BRS  | L9  | 56   | (online or on-line) and<br>(staging\$1 with (ship\$4 or<br>deliver\$3))                            | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2003/09/04<br>11:26 |
| 11 | BRS  | L11 | 22   | (staging\$1 with (ship\$4 or<br>deliver\$3) with<br>(application\$1 or subscrib\$4<br>or list\$4)) | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2003/09/04<br>11:16 |
| 12 | BRS  | L15 | 2216 | staging with system\$1   | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2003/09/04<br>11:23 |
| 13 | BRS  | L16 | 20   | 15 and (online or on-line)<br>and (staging\$1 with (ship\$4<br>or deliver\$3))                     | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2003/09/04<br>11:26 |
| 14 | BRS  | L17 | 250  | 15 and (online or on-line)   | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2003/09/04<br>11:26 |
| 15 | BRS  | L18 | 15   | 17 and (recover\$4 same log\$3)  | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2003/09/04<br>11:44 |
| 16 | BRS  | L19 | 2    | 6438538.pn.  | USPAT;<br>US-PGP<br>UB;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2003/09/04<br>11:45 |

|    | Type | Hits  | Search Text   | DBs   | Time Stamp       |
|----|------|-------|---|---|------------------|
| 1  | BRS  | 29984 | ((chang\$3 or updat\$4 or version\$4) with data with (captur\$4 or indicat\$4))   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 14:02 |
| 2  | BRS  | 34400 | ((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 14:56 |
| 3  | BRS  | 81    | ((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) same (recover\$4 with (log\$5 or access\$3)))  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 16:30 |
| 4  | BRS  | 20    | (((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) same (recover\$4 with (log\$5 or access\$3))) same (database\$1 or db\$1 or (data adj base\$1)))  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 14:34 |
| 5  | BRS  | 20    | (((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) same (recover\$4 with (log\$5 or access\$3))) same (database\$1 or db\$1 or (data adj base\$1)))  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 14:23 |
| 6  | BRS  | 6     | (((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) same (recover\$4 with (log\$5 or access\$3))) and ((on same line\$1 or (on-line\$1)) same (trasaction\$1 or process\$4)))   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 14:31 |
| 7  | BRS  | 2     | (((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) same (recover\$4 with (log\$5 or access\$3))) and ((on same line\$1 or (on-line\$1)) same (trasaction\$1 or process\$4))) and ((extract\$3 or remov\$4) with data)  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 14:32 |
| 8  | BRS  | 1083  | ((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) and ((on same line\$1 or (on-line\$1)) same (trasaction\$1 or process\$4)))  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 16:31 |
| 9  | BRS  | 1162  | ((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) and ((on same line\$1 or (on-line\$1)) same (transaction\$1 or process\$4)))   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 14:31 |
| 10 | BRS  | 2     | (((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) same (recover\$4 with (log\$5 or access\$3))) same ((on same line\$1 or (on-line\$1)) same (transaction\$1 or process\$4)))   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 14:31 |
| 11 | BRS  | 579   | (((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) and ((on same line\$1 or (on-line\$1)) same (transaction\$1 or process\$4))) and ((extract\$3 or remov\$4) with data)   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 14:32 |
| 12 | BRS  | 58994 | (((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) and ((on same line\$1 or (on-line\$1)) same (transaction\$1 or process\$4))) and ((extract\$3 or remov\$4) with data)) and sql\$1 or quer\$3  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 14:33 |
| 13 | BRS  | 271   | (((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) and ((on same line\$1 or (on-line\$1)) same (transaction\$1 or process\$4))) and ((extract\$3 or remov\$4) with data)) and (sql\$1 or quer\$3)  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 14:33 |
| 14 | BRS  | 152   | ((((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) and ((on same line\$1 or (on-line\$1)) same (transaction\$1 or process\$4))) and ((extract\$3 or remov\$4) with data)) and (sql\$1 or quer\$3)) and stag\$3  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 14:34 |
| 15 | BRS  | 148   | ((((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) and ((on same line\$1 or (on-line\$1)) same (transaction\$1 or process\$4))) and ((extract\$3 or remov\$4) with data)) and (sql\$1 or quer\$3)) and stag\$3 and (database\$1 or db\$1 or (data adj base\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 14:35 |

|    | Type | Hits | Search Text   | DBs   | Time Stamp       |
|----|------|------|---|---|------------------|
| 16 | BRS  | 144  | (((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) and ((on same line\$1 or (on-line\$1)) same (transaction\$1 or process\$4))) and ((extract\$3 or remov\$4) with data)) and (sql\$1 or quer\$3)) and stag\$3) and ((database\$1 or db\$1 or (data adj base\$1) same object\$1)   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 14:35 |
| 17 | BRS  | 91   | (((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) and ((on same line\$1 or (on-line\$1)) same (transaction\$1 or process\$4))) and ((extract\$3 or remov\$4) with data)) and (sql\$1 or quer\$3)) and stag\$3) and ((database\$1 or db\$1 or (data adj base\$1) same object\$1)   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 14:36 |
| 18 | BRS  | 32   | (((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) and ((on same line\$1 or (on-line\$1)) same (transaction\$1 or process\$4))) and ((extract\$3 or remov\$4) with data)) and (sql\$1 or quer\$3)) and stag\$3) and ((database\$1 or db\$1 or (data adj base\$1) same object\$1)) and ((ship\$5 or deliver\$4 or distribut\$4 or transport\$4) with stag\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 17:24 |
| 19 | BRS  | 55   | ((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) and oltp\$1  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 16:30 |
| 20 | BRS  | 5    | (((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) and oltp\$1) and (recover\$4 with (log\$5 or access\$3)))   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 14:58 |
| 21 | BRS  | 13   | (((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) and oltp\$1) and stag\$4  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 16:29 |
| 22 | BRS  | 0    | (((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) and oltp\$1) and staging\$1   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 16:29 |
| 23 | BRS  | 450  | ((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) and staging\$1   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 18:13 |
| 24 | BRS  | 0    | (((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) and staging\$1) and (recover\$4 with (log\$5 or access\$3))) and oltp\$1  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 16:30 |
| 25 | BRS  | 0    | (((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) and staging\$1) and (recover\$4 with (log\$5 or access\$3))) and oltp\$1) and ((on same line\$1 or (on-line\$1)) same (transaction\$1 or process\$4))   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 16:31 |
| 26 | BRS  | 46   | (((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) and staging\$1) and (recover\$4 with (log\$5 or access\$3)))  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 17:10 |
| 27 | BRS  | 13   | (((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) and staging\$1) and (recover\$4 with (log\$5 or access\$3))) and (staging\$1 same application\$1)   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 17:17 |
| 28 | BRS  | 5    | 5848405.uref,bi.  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 17:16 |
| 29 | BRS  | 1    | 5848405.uref,bi. and (staging\$1 same application\$1)   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 17:21 |
| 30 | BRS  | 1    | 5848405.uref,bi. and staging\$1   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 17:26 |
| 31 | BRS  | 10   | (5204958, 5301288, 5581750, 5664160, "5675585").pn.   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 17:25 |
| 32 | BRS  | 0    | ((5204958, 5301288, 5581750, 5664160, "5675585").pn.) and staging\$1  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 17:25 |
| 33 | BRS  | 13   | (((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) and staging\$1) and (recover\$4 with (log\$5 or access\$3))) and (staging\$1 same application\$1) and (staging\$1 same application\$1)  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 18:15 |

|    | Type | Hits | Search Text  | DBs   | Time Stamp       |
|----|------|------|--|---|------------------|
| 34 | BRS  | 0    | (((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) and staging\$1) and (recover\$4 with (log\$5 or access\$3))) and (staging\$1 same application\$1)) and (staging\$1 adj system\$1)                        | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 18:12 |
| 35 | BRS  | 5    | (((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) and (staging\$1 adj system\$1)   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/03 18:14 |
| 36 | BRS  | 2    | (((((chang\$3 or updat\$4 or version\$4 or modif\$5) with data with (captur\$4 or indicat\$4))) and staging\$1) and (recover\$4 with (log\$5 or access\$3))) and (staging\$1 same application\$1)) and (staging\$1 same application\$1)) and subscrib\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/04 11:23 |

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

**IEEE Xplore®**  
RELEASE 1.5Welcome  
United States Patent and Trademark Office[Help](#) [FAQ](#) [Terms](#) [IEEE](#) [Quick Links](#) [Peer Review](#)

» Search Results

## Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Your search matched **1** of **966109** documents.A maximum of **1** results are displayed, **25** to a page, sorted by **Relevance** in **descending** order.

You may refine your search by editing the current search expression or entering a new one in the text box.

Then click **Search Again**.

## Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

(oltp or (online or (online adj transaction\*))) and staging\*

**Search Again**

## Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

## Results:

Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD****1 An on-line batching algorithm for a single automatic insertion machine with fixed cost setups***Lofgren, C.B.;*Electronic Manufacturing Technology Symposium, 1988,  
'Design-to-Manufacturing Transfer Cycle'. Fifth IEEE/CHMT  
International, 10-12 Oct. 1988

Page(s): 188 -191

## Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Print Format

[\[Abstract\]](#) [\[PDF Full-Text \(260 KB\)\]](#) **IEEE CNF**[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2003 IEEE — All rights reserved